


T


型号 TYPE	图例 FIG.	尺寸 Dimensions(mm)		
		A	B	C
T-2.54-0.79-1.27-CPN	1	2.54±0.13	0.79±0.13	1.27±0.13
T-2.54-1.27-1.27-CPN	1	2.54±0.13	1.27±0.13	1.27±0.13
T-3.05-1.27-1.27-CPN	1	3.05±0.13	1.27±0.13	1.27±0.13
T-3.43-1.52-1.78-CPN	1	3.43±0.2	1.52±0.2	1.78±0.2
T-3.94-1.65-2.21-CPN	1	3.94±0.2	1.62±0.2	2.21±0.2
T-4-2-2	1	4.00±0.2	2.00±0.15	2.00±0.15
T-4-3-2-CPN	1	4.00±0.2	3.00±0.2	2.00±0.15
T-4-3.5-2-CPN	1	4.00±0.2	3.50±0.2	2.00±0.2
T-4-1.5-2.3	1	4.00±0.15	1.50±0.1	2.30±0.1
T-4.4-1.2-2.8	1	4.40±0.3-0.1	1.20±0.1	2.80±0.1
T-4.4-2.5-2.8	1	4.40±0.3-0.1	2.50±0.15	2.80±0.15
T-4.4-4.6-2.5-CPN	1	4.40±0.3-0.1	4.60±0.15	2.50±0.15
T-4.8-1.5-2.8	1	4.80±0.2	1.50±0.15	2.80±0.15
T-5-2-2.2	1	5.00±0.2	2.00±0.2	2.20±0.2
T-5-2.5-2.2	1	5.00±0.2	2.50±0.2	2.20±0.2
T-6-2-3	1	6.00±0.2	2.00±0.2	3.00±0.2
T-6-2-4-CPY	1	6.00±0.2	2.00±0.2	4.00±0.2
T-6-3-3-CPY	1	6.40MAX	3.50MAX	2.60MIN
T-6.3-2.5-3.8	1	6.30±0.2	2.50±0.2	3.80±0.2
T-8-2-4-CPY	1	8.60MAX	2.50MAX	3.50MIN
T-8-3-4-CPY	1	8.60MAX	3.50MAX	3.50MIN
T-8-4-4	1	8.00±0.2	4.00±0.0-0.3	4.00±0.2

镍锌氧铁材料规格尺寸 Specification and Dimensions of NiZn Ferrite Material



T


型号 TYPE	图例 FIG.	尺寸 Dimensions(mm)		
		A	B	C
T-8-4-4-CPY	1	8.60MAX	4.50MAX	3.50MIN
T-8-5-4	1	8.00±0.2	5.00±0.2	4.00±0.2
T-9-3-5	1	9.00±0.2	3.00±0.2	5.00±0.2
T-9.5-6.35-4.9	1	9.50±0.2	6.35±0.2	4.90±0.2
T-10-3-5	1	10.00±0.2	3.00±0.2	5.00±0.2
T-10-4-6-CPY	1	10.50MAX	4.60MAX	5.50MIN
T-10-5-5	1	10.00±0.2	5.00±0.2	5.00±0.2
T-10-5-5-CPY	1	10.50MAX	5.60MAX	4.50MIN
T-12-4-6	1	12.00±0.2	4.00±0.2	6.00±0.2
T-12.7-4.8-7.15	1	12.70±0.2	4.80±0.2	7.15±0.2
T-12.7-6.5-7.9	1	12.70±0.2	6.50±0.2	7.90±0.2
T-12.7-7.5-7.9	1	12.70±0.2	7.50±0.2	7.90±0.2
T-12.7-4.8-7.15	1	12.70±0.2	4.80±0.2	7.15±0.2
T-13-3-7-CPY	1	13.50±0.4	3.25±0.4	6.80±0.4
T-13-5-7	1	13.00±0.3	5.00±0.3	7.00±0.3
T-14-5-9-CPY	1	14.50MAX	5.50MAX	8.50MIN
T-14-7-9-CPY	1	14.50MAX	7.50MAX	8.50MIN
T-15-3.5-6.2	1	15.00±0.4	3.50±0.2	6.20±0.3
T-16-4-9	1	16.00±0.5	4.00±0.3	9.00±0.5
T-16-6-9	1	16.00±0.5	6.00±0.3	9.00±0.5
T-16-15-9	1	16.00±0.5	15.00±0.5	9.00±0.5
T-17.5-6.35-9.5	1	17.50±0.5	6.35±0.3	9.50±0.5



T

型号 TYPE	图例 FIG.	尺寸 Dimensions(mm)		
		A	B	C
T-17.5-13.5-9.5	1	17.50±0.5	13.50±0.5	9.50±0.5
T-18-10-10	1	18.00±0.5	10.00±0.3	10.00±0.3
T-18.2-6.4-11	1	18.20±0.5	6.40±0.3	11.00±0.3
T-18.5-10.25-9.75	1	18.50±0.5	10.25±0.5	9.75±0.5
T-18.7-14.25-10.15	1	18.70±0.6	14.25±0.6	10.15±0.6
T-20-5-10	1	20.00±0.5	5.00±0.3	10.00±0.5
T-20-7-10	1	20.00±0.5	7.00±0.5	10.00±0.5
T-20-10-10	1	20.00±0.5	10.00±0.5	10.00±0.5
T-20-12-10	1	20.00±0.5	12.00±0.5	10.00±0.5
T-20-10-12	1	20.00±0.5	10.00±0.5	12.00±0.5
T-21-6.35-13.2	1	21.00±0.5	6.35±0.3	13.20±0.5
T-22.1-12.7-13.7	1	22.10±0.5	12.70±0.3	13.70±0.5
T-25-8-15	1	25.00±0.5	8.00±0.5	15.00±0.5
T-25-10-15	1	25.00±0.5	10.00±0.5	15.00±0.5
T-25-12-15	1	25.00±0.5	12.00±0.5	15.00±0.5
T-25-13-15	1	25.00±0.5	13.00±0.5	15.00±0.5
T-25-15-15	1	25.00±0.5	15.00±0.5	15.00±0.5
T-25.4-6.35-12.7	1	25.40±0.65	6.35±0.25	12.70±0.35
T-25.9-21.3-12.8	1	25.95±0.5	21.30±0.5	12.80±0.5
T-26-10-14.5	1	26.00±0.5	10.00±0.3	14.50±0.5
T-28-14-14-CPY	1	28.00±1.0	14.00±0.8	14.00±0.8
T-29-7-19	1	29.00±0.5	7.00±0.5	19.00±0.5

镍锌氧铁材料规格尺寸 Specification and Dimensions of **NiZn** Ferrite Material



T

型号 TYPE	图例 FIG.	尺寸 Dimensions(mm)		
		A	B	C
T-29-16-17	1	29.00±0.5	16.00±0.5	17.00±0.5
T-30-15-16	1	30.00±0.5	15.00±0.5	16.00±0.5
T-31-13-19	1	31.00±0.5	13.00±0.5	19.00±0.5
T-31-16-19	1	31.00±0.5	16.00±0.5	19.00±0.5
T-31-18-19	1	31.00±0.5	18.00±0.5	19.00±0.5
T-36-15-23	1	36.00±0.7	15.00±0.3	23.00±0.5
T-38-15-22	1	38.00±1.0	15.00±0.5	22.00±0.5
T-40.6-15-27.4	1	40.60±1.0	15.00±0.5	27.40±0.8
T-47-15-27	1	47.00±1.2	15.00±0.5	27.00±0.8
T-50.8-25.4-25.4	1	50.80±1.3	25.40±0.75	25.40±0.8
T-50.8-28.7-25.4	1	50.80±1.3	28.70±0.75	25.40±0.8
T-50.8-38.1-25.4	1	50.80±1.3	38.10±0.75	25.40±0.8
T-60-20-36	1	60.00±1.5	20.00±0.55	36.00±0.8
T-73.65-12.7-38.85	1	73.65±2.0	12.70±1.0	38.85±1.0